

Subject Index

A

Acetyl transferase 261, 262
 Acetylator status 261
 Adenyl cyclase 131—135
 Affective disorder 131—135
 Aggression 144—146, 147—152,
 155—158, 165—172, 247—249, 253,
 255—257
 Agonistic behavior 137—146, 253,
 255—257, 295—299
 Alcohol 81—85, 103, 104, 295—299
 Alpha-flupentixol 67, 69, 71
 Alpha-methyl-p-tyrosine 41—44
 Amphetamine 25—27, 41—44, 47, 93—97
 d-Amphetamine 183—188, 207—210, 253,
 255—257
 Analgesics 25—27
 Angiotensin 291—293
 Anileridine 25—27
 Anorexia 137—146, 177—181
 Anticholinesterase 147, 150
 Anticonvulsant drugs 277—278
 Antinociception 159—163
 Antidepressants 13—18
 Antipsychotic effect 189—194
 Apomorphine 195—201, 241—244,
 303—306
 Appetite stimulants 47—50
 Arecoline 53—56
 Atenol 211—215
 ATPase 131—135
 Attack 253, 255—257
 Atropin 207—210
 Automaintenance 207—210
 — negative A. 207—210
 Automatic registration of behavior
 303—306
 Azaperone 103—104

B

Baboons 277, 278
 Barbiturates 19—20
 Behavioral augmentation 59, 63
 Benzodiazepines 277, 278
 Benztropine 67, 69, 71
 Beta-adrenergic-blockers 211—215
 Biologic generator 147—152
 Blood brain barrier 229—232
 Blood ethanol concentrations 105—110
 Blood pressure 221, 222
 Bromocriptine 241—244

C

Carry-over 59
 Catalepsy 35—38, 53—56
 Cats 147, 155, 271
 Carbachol 291—293
 Carbohydrate metabolism 173—176

Central nervous system 229—232
 Children 117—123
 Chloral hydrate 311
 Chlordiazepoxide 101—102
 Chlordimeform 47—50
 p-Chlorophenylalanine 73, 76, 78
 Chlorpromazine 125—130
 Cholinoceptive mechanisms 147—152,
 155—158, 183—188
 Cholinomimetics 147—152
 Cidazindol 173—176, 177—181
 Circadian alterations 111—116
 Citalopram 13—18
 Clozapine 303—306
 Clorazepate 203—206
 Cloridine 103—104
 Cocaine 47—50, 253, 255—257
 Cognitive tests 204
 Competition 165—172
 Conditioned avoidance response 309
 Convulsions 105—110
 Cross-tolerance 311
 Cyroterone acetate 247—249

D

Defensive behavior 253, 255—257
 Delta-9-tetrahydrocannabinol 137—146
 Denervation 281
 Depression 261—262
 Depressive symptoms 117—123
 Desipramine 177—181
 Diazepam 207—210
 Dihydroxytryptamines 281—286
 5,6-Dihydroxytryptamine 153—163
 Discrimination 125—130
 Divided attention 81—85
 Dogs 295
 Dopamine 35—38, 67, 69, 71, 177—181
 Dorsal bundle 53—56
 Drinking 291—293
 Drug tolerance 41—44
 Dry action 211—215
 Dry effects 195—201
 Dyskinesia, tardive 1, 3

E

EEG 87, 88, 90, 91, 221, 222
 EEG sleep 117—123
 Ethanol 19—20, 59, 61—62, 87, 88, 90,
 91, 195—201, 311
 Ethanol withdrawal 105—110
 Expectancy 81—85
 Experimental pain 25—27

F

Fentanyl 103—104
 Fighting 165—172
 Flight 253, 255—257

Flurazepam 203—206
 Food intake 137, 139
 Foramidine pesticides 47—49

G

Gamma-butyrolactone 67, 69, 71
 Genetic 311
 Growth rate 137—146

H

Haloperidol 35—38, 53—56, 303—306
 Hashisch 247—249
 Heart rate 221—222
 Hierarchies 165—172
 Hormones 247—249
 Human-beings 25, 81, 87, 117, 131, 177,
 189, 203, 211, 261
 5-HT-uptake 131—135
 6-Hydroxydopamine 195—201
 5-Hydroxyindole acetic acid 229—232
 5-Hydroxytryptamine 177—181, 265—268,
 309
 — synthesis 229—232
 5-Hydroxytryptophan 229—232
 Hypertensive encephalopathy 189—194
 Hypothermia 137—146

I

Imipramine 117—123
 Inhibitory avoidance task 221, 223
 Intraventricular injections 147—152
 — of muscarine 155—158

K

Key-pecking 207—210

L

Latency 183—188
 Lateral-posterior-hypothalamus 271, 272
 Learning 221
 L-Dopa 203—206, 241—244
 Lipid metabolism 173—176
 Lithium 131—135
 Locomotion 253, 255—257
 Locomotor activity 67, 69, 71, 93—97,
 271, 272, 303—306
 Locus coeruleus 53—56
 LSD 125—130, 183—188, 265—268, 309
 Lumbar spinal cord 271

M

MAO-inhibitors 309
 Marihuana 137—146
 Mazindol 177—182
 Memory 221
 Mescaline 265—268
 Methadone 29, 32

Methamphetamine 101—102, 173—176
 Met-enkephalin 217—218
 Method 247—249
 Methylphenidate 241—244
 Mice 173, 221, 241, 247—249
 Monkey 29, 32
 Morphine 35—38, 53—56, 101—102, 103—104, 125—130, 207—210
 Morphine withdrawal 165—172
 Motor abnormalities 137, 141
 Motor activities 41—44, 247—249
 Motor behavior 173—176
 Motor tests 204
 Mouse killing 137, 138, 140
 Muscarinic sites 155—158
 Muscle spasm 281—286
 Myoclonus 281—286

N

Naloxone 103—104
 NaNO₂ 221, 224—227
 Narcotic discrimination 103
 Neuroleptics 291—293
 Neurotransmitter 247—249
 Nicotinic sites 155—158
 Nicotinic stimulants 147, 151
 Noradrenaline 53—56
 Novelty 93—97

O

Omission training 73, 78

P

Parachloroamphetamine 103, 104
 Partial differential REM deprivation 203—206

Passive-avoidance-learning 73—75, 78
 Pentobarbital 103
 Perception 125—130
 PGE 159—163
 Phenelzine 261, 262
 Phenobarbital 311
 Phenobarbital dependence 111—116
 Photosensitive Epilepsy 277—278
 Physical dependence 59 ff.
 Pigeons 183, 207
 Pimozide 195—201
 Pilocarpine 53—56
 Platelets 131—135
 Platelet uptake 177—181
 Probenicid 229—232
 Propoxyphene 103—104
 Propanol 189—194, 211—215
 Prostaglandins 217, 218
 Psychomotor stimulants 253, 255—257

Q

Quipazine 265—268

R

Raphe nucleus 73, 75—76, 78
 Receptors 1, 6—11
 REM sleep 203—206
 Response inhibition 73, 78
 Rats 1, 13, 19, 35, 41, 47, 53, 59, 67, 73, 93, 101, 103, 105, 111, 125, 137, 159, 165, 195, 217, 221, 229, 253, 265, 281, 291, 303, 309, 311

S

Schizophrenia 189—194
 Scopolamine 303—306

Serotonin 73—78, 159—163, 281, 282—286, 309
 Serum and brain levels 111—116
 Sleep 29, 32
 Social behavior 137, 138, 139
 Social systems 295—299
 Sodium nitrite 221
 Stereotyped behavior 93—97, 303—306
 Stereotypy 1, 35
 Stimulus control 265—268
 Stimulus properties 19, 20
 Sulifentanyl 103, 104
 Sulpiride 271—273
 Supersensitivity 241—244, 281—286
 Sustained ingestion 29, 32
 Swimming capacity 173—176
 Synaptosomes 13, 14

T

Tandamine 177—181
 Taste condition aversion 101, 102
 Temperature 217, 218
 Temporal discrimination 183, 188
 THC 183—188
 Thioproperazine 271, 272
 Timing 183—188
 Tolerance 59, 61, 62, 144—146
 Tolerance to ethanol 105—110
 TRH 203—206
 Tryptophan 229—232
 Tyramine pressor response 177—181

V

Vocalisations 253, 255—257

Advice to Authors

The illustrations that will appear in your contribution will be shown to best advantage if you follow the brief set of instructions below. Please read carefully. Thank you.

The Publisher

Preparation of Line Drawings

Illustration copy should be prepared to fit the format of the column or printed page (print area) so that 1:1 reproduction is possible. In case reduction is absolutely necessary, please state the alternative scale desired.

The publisher reserves the right to reduce or enlarge illustrations.

Drawings are to be twice the final size and executed in indelible black ink.


Important points to note: thickness of lines, size of inscriptions, size of measuring points, adequate spacing of shaded and dotted areas.

Words should be in upper- and lower-case characters, not capitals.


The following are optimal sizes as they finally appear in the journal:

Capital letters and numbers: 2 mm


Lower-case letters: 1.6 mm.



①




samples 1 to 5 show
the original size and
after 50% reduction




②



③



④



ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 1.5° III IV VIII IX ∞% ≈
[(= - + x ÷ ! ? : " ' ,)] (A) (B) (a) (b)

⑤

ABCDEFGHIJKLMNOPQRSTUVWXYZ
abcdefghijklmnopqrstuvwxyz
1234567890 1.5° III IV VIII IX ∞% ≈
[(= - + x ÷ ! ? : " ' ,)] (A) (B) (a) (b)

Selection of Illustration Material for Halftones (photographs, micrographs, X-rays, instrument traces etc.).

Photographs should be sharp, well-contrasted glossy prints of the original negative, trimmed at right angles. Halftone illustrations should be prepared to fit the format of the printed page (print area) so that 1:1 reproduction is possible. In case reduction is absolutely necessary, please state the alternative scale desired. The publisher reserves the right to reduce or enlarge illustrations.








Mark or crop marginal portions which are not required (at right angles, please).

Please see that illustrations which are to appear together are mounted accordingly as plates and that they correspond in size. Also they should not exceed the print area of the page, including room for the legend.

With X-rays, please indicate the significant parts on the back of the copy, or on an overlay.

Inscriptions, marks and scale lines should preferably be drawn neatly in black ink in an appropriate size on the face of the illustrations.

Inscriptions should be about 3 mm high. Where Letraset is used, please handle it carefully and protect the photographs with an overlay.



Acta Neuropathologica
 Anesthetic Plastic Surgery
 Der Anästhesist
 Anatomia clinica
 Anatomy and Embryology
 Archiv für Psychiatrie und
 Nervenkrankheiten/ Archives of
 Psychiatry and Neurological Sciences
 Archives for Dermatological Research/
 Archiv für Dermatologische Forschung
 Archives of Environmental
 Contamination and Toxicology
 Archives of Gynecology
 Archives of Orthopaedic and
 Traumatic Surgery
 Archives of Oto-Rhino-Laryngology/
 Archiv für Ohren-, Nasen- und
 Kehlkopfheilkunde
 Archives of Toxicology/
 Archiv für Toxikologie
 Berichte Physiologie, physiologische
 Chemie und Pharmakologie/Physiology -
 Physiological Chemistry and
 Pharmacology
 Berichte über die allgemeine und
 spezielle Pathologie/Pathology
 Berichte über die gesamte Gynäkologie
 und Geburtshilfe sowie deren Grenz-
 gebiete/Gynaecology - Obstetrics
 Blood Cells
 Blut
 Bulletin of Environmental
 Contamination and Toxicology
 Calcified Tissue International
 Cancer Chemotherapy and
 Pharmacology
 Cancer Immunology and
 Immunotherapy
 Cardiovascular Radiology
 Cell and Tissue Research
 Der Chirurg
 Chirurgia plastica
 Diabetologia
 European Journal of Applied
 Physiology and Occupational
 Physiology
 European Journal of Clinical
 Pharmacology
 European Journal of Nuclear Medicine
 European Journal of Pediatrics
 Experimental Brain Research
 Gastrointestinal Radiology
 v. Graefes Archiv für klinische und
 experimentelle Ophthalmologie/
 v. Graefe's Archive for Clinical and
 Experimental Ophthalmology
 Gynecologic Pathology
 Der Gynäkologe
 Der Hautarzt
 Histochemistry
 HNO
 Human Genetics
 Immunogenetics
 Intensive Care Medicine
 International Archives of
 Occupational and Environmental Health
 International Orthopaedics
 Der Internist
 Journal of Cancer Research and
 Clinical Oncology
 The Journal of Membrane Biology
 Journal of Neurology
 Zeitschrift für Neurologie
 Kidney International
 Klinische Wochenschrift
 Langenbecks Archiv für Chirurgie
 Lung
 Medical Microbiology and Immunology
 Medical Progress through Technology
 Monatsschrift für Kinderheilkunde

Springer Journals keeping you in pace with science.

Springer journals are known and respected internationally for keeping professionals in science and in medicine, in research and in industry well-informed about the rapid progress in their fields. Decide for yourself by sending in one of the order coupons.

To: The Head Librarian/The Library Committee

From: _____

Department: _____

☐ I/we have studied the Springer Journal(s)

☐ and recommend that the journal(s) be purchased for the Main/Department Library

☐ I/we would like to see the Springer Journals Catalog with information on subscriptions/back volumes/microform

☐ Please obtain sample copies on other related Springer Journals and/or latest index/sample copy including volume-index

SUBSCRIPTION ORDER FORM

SPRINGER-VERLAG BERLIN HEIDELBERG NEW YORK

Please order through your bookseller:

or Springer-Verlag, P.O. Box 105280, D-6900 Heidelberg,

All countries (except North America)

or (North America) Springer-Verlag New York Inc.,

175 Fifth Avenue, New York, NY 10010, USA

North America subscriptions are entered with prepayment only.

☐ Please enter my/our subscription to (please give title or ISSN)

Full subscription information is given on inside front or back cover page

Name: _____

Address: _____

Date/Signature _____

☐ This is a new order

☐ This is a renewal order

Please send a sample copy and/or latest index/sample copy including volume-index (supply is limited):

Please send information concerning

☐ Back volumes ☐ microform editions ☐ journals catalog

B

To: The Head Librarian/The Library Committee

Postcard - Airmail

To the bookseller

Naunyn-Schmiedeberg's Archives
of Pharmacology
Der Nervenzust
Neuroradiology
Nouvelle Revue Française
d'Hématologie
Der Orthopäde
Pediatric Cardiology
Pediatric Radiology
Pflügers Archiv
Praxis der Psychotherapie und
Psychosomatik
Psychological Research
Psychopharmacology
Radiation and Environmental
Biophysics
Der Radiologe
Research in Experimental Medicine/
Zeitschrift für die gesamte experi-
mentelle Medizin einschließlich
experimenteller Chirurgie
Skeletal Radiology
Social Psychiatry
Springer Seminars in
Immunopathology
Unfallheilkunde/Traumatology
Der Urologe, Ausgabe A + B
Urologic Radiology
Urological Research
Virchows Archiv A
Pathological Anatomy and
Histology
Virchows Archiv B
Cell Pathology
World Journal of Surgery
Zeitschrift für Parasitenkunde
Zeitschrift für Rechtsmedizin/
Journal of Legal Medicine
Zentralblatt für die gesamte Kinder-
heilkunde/Pediatrics
Zentralblatt für die gesamte Neurologie
und Psychiatrie/Neurology - Psychiatry
Zentralblatt für die gesamte
Ophthalmologie und ihre Grenz-
gebiete/Ophthalmology
Zentralblatt für die gesamte
Radiologie/Radiology
Zentralblatt für die gesamte Rechts-
medizin und ihre Grenzgebiete/
Legal Medicine
Zentralblatt für Hals-, Nasen- und
Ohrenheilkunde, Plastische Chirurgie
an Kopf und Hals/Oto-Rhino-
Laryngology
Plastic Surgery of Head and Neck
Zentralblatt Haut- und Geschlechts-
krankheiten/Dermatology -
Venerology - Andrology
Zentralblatt Gastroenterologie -
Stoffwechsel - Endokrinologie/
Gastroenterology - Metabolism -
Endocrinology
Zentralblatt Hämatologie - Klinische
Onkologie/Haematology - Clinical
Oncology
Zentralblatt Immunologie -
Transplantation/Immunology -
Transplantation
Zentralblatt Kardiologie -
Nephrologie/Cardiology -
Nephrology
Zentralblatt Pneumologie und
Tuberkulose/Pneumology -
Tuberculosis
Zentralblatt Praktische Innere
Medizin und Grenzgebiete/
Internal Medicine
Zentralorgan für die gesamte
Chirurgie und ihre Grenzgebiete/
Surgery

Springer Zeitschriften Neurologie – Psychiatrie

Acta Neuropathologica

Organ of the Research Group for Neuropathology,
of the Research Group for Comparative Neuropathology,
and of the Research Group for Neurooncology
of the World Federation of Neurology.

Archiv für Psychiatrie und Nervenkrankheiten/ Archives of Psychiatry and Neurological Sciences

Official Organ Gesamtverband Deutscher Nervenärzte

Experimental Brain Research

Journal of Neurology

Zeitschrift für Neurologie
Organ of the Deutsche Gesellschaft für Neurologie and the
Deutsche Gesellschaft für Neurochirurgie

Der Nervenarzt

Praxis der Psychotherapie und Psychosomatik

Organ der Lindauer Psychotherapiewochen

Psychological Research

Psychopharmacology

Social Psychiatry

Zentralblatt für die gesamte Neurologie und Psychiatrie



**Springer-Verlag
Berlin
Heidelberg
New York**

Coupon zur Anforderung Ihres persönlichen Probeheftes.

Folgende Zeitschrift möchte ich näher kennenlernen:


(Angabe des Zeitschriftentitels)

Name

Anschrift

Bitte richten Sie Ihre Anfrage direkt an Ihren Buchhändler oder
an den Springer-Verlag, Postfach 10 52 80, D-6900 Heidelberg

1395/4/1



ASL's systems for pupillometry and eye movement analysis

Six efficient, flexible choices, one of which is right for your next program

Gulf+Western Applied Science Laboratories' Eye Trac[®] line consists of cost effective, proven systems, widely used in applications like psychological evaluations, effects of drugs, perception studies, human factors engineering, and behavioral research.



The Basic System - Model 1992 Eye Trac Monitor and TV Pupillometer uses video techniques to track point of gaze, and display pupil diameter, independent of head movement. Output is presented visually on a TV screen, with analog and digital outputs available for recording and/or computer processing.



Greater Subject Freedom - Model 1994S includes provisions that allow the camera and other accessories to be placed two to three feet away from the subject for a more relaxed environment.



Computerized Flexibility - Model 1996 is an advanced, powerful, and flexible system for unobtrusive measurement of eye position and pupil diameter. The system offers considerably greater tolerance of head motion, eye motion, most eyeglasses, and some contact lenses. It incorporates automatic calibration, and very high data-handling capability, in addition to other standard features.



Maximum Subject Freedom - Model 1998 has Model 1996's computer capability, plus a head-tracking mirror that monitors the subject despite moving, talking, blinking, most eyeglasses, and some contact lenses.




Reading Evaluations - Model 106 Eye Trac system is a simple unit that takes only 3-5 minutes to deliver objective, quantified, and permanent recording of binocular visual function and performance.




Economical - Model 200 Eye Trac accurately measures both horizontal and vertical eye movements by employing a non-contacting photo-electric technique.

For Information - Write or call for detailed performance specifications and prices to: Gulf+Western Applied Science Laboratories, 335 Bear Hill Road, Waltham, Massachusetts, 02154. Telephone: 617-890-5100.

Other instruments available include heart rate/ECG monitors and automatic blood pressure systems.



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

